

CHALLENGES FACED BY CHINA ON COVID-19

Hiranya.S¹, ²Dr. Lalitha Rani Chellappa

¹Saveetha Dental College and Hospital, Saveetha Institute of Medical and Technical Sciences, Saveetha University, Chennai-600077

²Senior Lecturer, Department of Public Health Dentistry, Saveetha Dental College and Hospitals, Chennai, 600077

Corresponding Author: Dr. Lalitha Rani Chellappa, Senior Lecturer, Department of Public Health Dentistry, Saveetha Dental College and Hospitals, Chennai, 600077

Email id -lalitharanibds28@gmail.com

Abstract:

COVID-19 disease is caused by coronavirus, a dreadful virus which affected China on December 19 in the city of Wuhan. In humans, these viruses cause respiratory tract infections that can range from mild to death. Most people infected with this virus have mild to moderate respiratory illness. This dreadful disease is caused by severe acute respiratory syndrome. Older people and those with underlying medical problems like cardiovascular disease, diabetes, chronic respiratory disease, and cancer are more likely to develop serious illness. The spread of disease is rapid from one country to another. In most of the studies it is being told that the death rates are increasing due to coronavirus. There are no vaccines or antiviral drugs to prevent or treat coronavirus. To review the challenges faced by China on covid19. The literature review is planned using a database like PubMed from the years 2015-2020 to know about the challenges faced by China.

Keywords: Coronavirus; Cases recorded; covid 19; dreadful virus; patients; risk factors; symptoms

INTRODUCTION:

COVID-19 is caused by coronavirus which is a dreadful virus affected China on December 19 in the city of Wuhan(Al-qaness *et al.*, 2020). December 2019 the novel coronavirus spread from Wuhan to rest of china(Xie *et al.*, 2020). The virus intensively spreads that 2 weeks from the first case was diagnosed about 100 patients were declared positive(Spinelli and Pellino, 2020) aims mainly at the respiratory system(Saxena, 2020). Healthcare workers were very new to this infectious disease so had some stressful situation The disease becomes serious with increasing age and with the presence of other disease This is a life threatening disease ,it spreads at a faster rate. This dreadful disease is caused by Severe Acute Respiratory Syndrome(L. Guo *et al.*, 2020). The spread of disease is rapid from one country to another(Centurión *et al.*, 2020). This pandemic disease originates from mice, humans, food(Zhong *et al.*, 2020). The patients with corona had acute respiratory problems, kidney problems, fatigue. Even some patients had loss of smell and the sensation(Richman, Whitley and Hayden, 2016) The spread of the disease has led to stressful conditions and leds to mental disorders (Zandifar and Badrfam, 2020). In one study the author felt



it is important to know about goitre but in this review we focus on COVID-19 (Samuel and Devi, 2015). Baheerati tells that infertility is caused by obesity (Baheerati and Gayatri Devi, 2018) but in another study another author feels obesity causes thyroid (Fathima and Preetha, 2016). Corona virus damages the central nervous systems like it causes infections in CNS (Wu *et al.*, 2020) The staffs were uncomfortable to treat patients at first due to lack of knowledge about covid and lack of protection equipments. All the staffs were highly stressed cause day by day the number of patients increased. They did not know the spread of disease . Staffs have psychologists share their problems and also online courses to cope with their stress. (Wang *et al.*, 2020)

COVID-19:

The novel coronavirus emerged at the end of 2019(Bejaoui, no date). December 2019 the novel coronavirus spread from Wuhan to rest of china(Xie et al., 2020). The virus intensively spreads that 2 weeks from the first case was diagnosed about 100 patients were declared positively (Spinelli and Pellino, 2020). Healthcare workers were very new to this infectious disease so had some stressful situation The disease becomes serious with increasing age and with the presence of other disease. Day and day the number of cases are increasing the common symptoms were diarrhea, nausea, vomiting and abdominal pain (Rothan and Byrareddy, 2020). In some researchers; the complete viral genome analysis gives the results that 88% of sequence identity to two bat-derived severe acute respiratory syndrome (SARS). Corona virus different from SARS (Wang, no date). The corona virus is enveloped and single stranded. It is told that Coronavirus transmits from one person to another person in the form in the form of droplets by coughing or sneezing. The disease all started in Wuhan from the animals which were sold. It is confirmed that the disease is spread through mammals and birds mainly (Anand et al., 2020). It is found that the sequence of receptor binding in COVID-19 is similar to that of SARS-CO. The mortality rate is less than influenza (Mehta et al., 2020)

RISK FACTORS:

The SARS virus causes pneumonia, organ dysfunction later respiratory failure, chronic liver disease(L. Guo *et al.*, 2020). Cardiovascular problems are foetal . Angiotensin converting enzyme 2(ACE) in a membrane bound aminopeptidase that has a vital role in the cardiovascular and immune system. ACE2 is involved in heart function and development of hypertension and diabetes mellitus(Turner, Hiscox and Hooper, 2004) . When the disease occurs in a patient by the end of first week the disease can progress to pneumonia, respiratory failure and death. Complication witnessed included acute lung injury ,ARDS, shock and acute kidney injury. And mostly the adverse effects for old people, the main risk factors are for the patients of older age groups since they do not have the immunity



CASES RECORDED:

The most affected age group is of the age group of the age 30 to 79 years. It is not prevalent in the age of 9 years or less. But the mild symptoms are seen in the age of 9 years. It is known that in February 16 about in the united states there were about 31% cases;45% hospitalised;53% ICU;80% of death occurred in the age of 60 years(Huang and Pranata, 2020). In Japan;634 persons were confirmed for Corona(Mizumoto *et al.*, 2020; Onder, Rezza and Brusaferro, 2020)). China has the maximum cases, after China Italy has the second largest number of COVID cases(Onder, Rezza and Brusaferro, 2020). It has high case rate. (Wu *et al.*, 2020) hospital in beijing te covid virus was present in the cerebrospinal fluid leading to viral encephalitis (Wu *et al.*, 2020) In the european region the mortality rates are about 30,089 deaths and 464212 cases are confirmed, in the african region 91 deaths and 4073 cases are confirmed. (Li *et al.*, 2020).

SYMPTOMS OF COVID-19:

The symptoms of corona are they spread from droplets,dry cough. The common symptoms are found to be fatigue, anorexia, diarrhea, arrhythmia, dyspnea (Onder, Rezza and Brusaferro, 2020). It starts with asymptomatic to acute respiratory distress syndrome. Out of all symptoms; the main one is breathlessness, cough. The complications are acute lung injury, stroke and acute kidney injury. The most adverse outcomes of death is common with elderly population mostly. The spread of the disease takes 6 to 41 days. The spread mainly depends on the age and on the patient immunity (Wang, Tang and Wei, 2020) first the covid patients acquire the digestive symptoms like vomiting , diarrhea, anorexia. (Pan et al., 2020) It is found that the symptoms of SARS and the corona virus is similar starting from headache, cough to fever (Wu et al., 2020) hospital in beijing te covid virus was present in the cerebrospinal fluid leading to viral encephalitis. The covid patients with severe hypoxia and viremia (Y.-R. Guo et al., 2020). Most of the patient have headache, brain dysfunction, disturbed unconsciousness (Mao et al., no date). In the subset of patient by the end of first week the disease can progress to pneumonia, respiratory failure (Liu et al., 2020)

This review is done because covid-19 is a pandemic disease. Other authors spoke about the symptoms, mental healthcare, risk factors, cases recorded. This review mainly focuses on the challenges faced by china in covid-19.

DISCUSSION:

Nowadays, the dreadful virus affected China on December 19 in the city of Wuhan. This deadly disease is caused by SARS. In the article by Zunguo et al; SARS causes pneumonia which leads to organ dysfunction; respiratory failure; chronic lung disease (Zhong *et al.*, 2020). In the review by Macro et al tells that cardiovascular problems foetal. In another study; Yixuan et al middle respiratory syndrome was identified in Saudi Arabia (Yin *et al.*, no date). In another study; Lee et al does not affect the age group of 9 years. In the other study; Mohammed et al the symptoms of COVID-19 are dry cough, fatigue, anorexia, diarrhea, arrhythmia and dyspnea. In another study; Maeda et al the staffs were uncomfortable to treat patients at first due to lack of knowledge



covid19 and lack of protective equipments .In another study;RCT and PCR technique gave negative results.RT gave negative results due to contamination in the blood samples are contaminated.ELISA highly used improve detection of COVID-19(Chen *et al.*, 2020).

CONCLUSION:

Covid 19 is the pandemic disease caused by the novel corona virus. This virus spreads from the droplets of saliva or discharges from nose mainly from person to person. The best way to prevent and slow down transmission is social distancing, frequently washing your hands. The main symptoms of the disease are fever, shortness of breath, coughing, loss of smell. This virus can lead to severe diseases like pneumonia, respiratory failure and death. This virus triggers the immune system and kill the tissues and later damages the organs. The risk factors of the virus are heart disease, high blood pressure, lung disease, asthma. Swab test is the common method of testing this virus. At this scenario, no specific vaccines or treatments are found. But still researches are being done to find a solution. This review was done to know about the challenges faced by China during COVID-19. This dreadful disease is spreading very fast. This review shows how the disease is spread, how it is transmitted, and also tells information on the symptoms of the disease.

AUTHORS CONTRIBUTION: Collection of literature and reviews was done by Hiranya, Revision of the manuscript was done by Jothi Priya, Drafting of the manuscript was done by Dr. Vishnu Priya.

CONFLICT OF INTEREST: The author declares that there was no conflict of interest in the present study.

REFERENCES:

- 1. Abigail *et al.* (2019) 'Evaluation of Muscular Endurance among Dentists', *Indian Journal of Public Health Research & Development*, p. 258. doi: 10.5958/0976-5506.2019.02808.0.
- 2. Al-qaness, M. A. A. *et al.* (2020) 'Optimization Method for Forecasting Confirmed Cases of COVID-19 in China', *Journal of Clinical Medicine*, p. 674. doi: 10.3390/jcm9030674.
- 3. Anand, E. R. et al. (2020) 'Acute pancreatitis in a COVID-19 patient', British Journal of Surgery, pp. e182–e182. doi: 10.1002/bjs.11657.
- 4. Baheerati, M. M. and Gayatri Devi, R. (2018) 'Obesity in relation to Infertility', *Research Journal of Pharmacy and Technology*, p. 3183. doi: 10.5958/0974-360x.2018.00585.1.
- 5. Bejaoui, M. (no date) 'Polyethylene glycol as a potential adjuvant treatment for COVID-19-induced ARDS'. doi: 10.22541/au.158880111.18586728.
- 6. Centurión, O. A. *et al.* (2020) 'Potential mechanisms of cardiac injury and common pathways of inflammation in patients with COVID-19', *Critical pathways in cardiology*. doi: 10.1097/HPC.000000000000227.
- 7. Chen, L. et al. (2020) 'COVID-19 Disease With Positive Fecal and Negative Pharyngeal and Sputum Viral Tests', *The American Journal of Gastroenterology*, p. 790. doi:



- 10.14309/ajg.00000000000000610.
- 8. Choudhari, S. and Jothipriya, M. A. (2016) 'Non-alcoholic fatty liver disease', *Research Journal of Pharmacy and Technology*, p. 1782. doi: 10.5958/0974-360x.2016.00360.7.
- 9. Dave, P. H. and Preetha (2016) 'Pathogenesis and Novel Drug for Treatment of Asthma-A Review', *Research Journal of Pharmacy and Technology*, p. 1519. doi: 10.5958/0974-360x.2016.00297.3.
- 10. David *et al.* (2019) 'Physical Fitness among the Dental Physician, Dental Undergraduates and Postgraduates Students', *Indian Journal of Public Health Research & Development*, p. 223. doi: 10.5958/0976-5506.2019.02801.8.
- 11. Fathima, F. and Preetha, P. (2016) 'Evaluation Of Thyroid Function Test In Obese Patients', *Asian Journal of Pharmaceutical and Clinical Research*, p. 353. doi: 10.22159/ajpcr.2016.v9s3.12959.
- 12. Guo, L. *et al.* (2020) 'Profiling Early Humoral Response to Diagnose Novel Coronavirus Disease (COVID-19)', *Clinical Infectious Diseases*. doi: 10.1093/cid/ciaa310.
- 13. Guo, Y.-R. *et al.* (2020) 'The origin, transmission and clinical therapies on coronavirus disease 2019 (COVID-19) outbreak an update on the status', *Military Medical Research*, 7(1), p. 11.
- 14. Harsha, L. *et al.* (2015) 'Systemic Approach to Management of Neonatal Jaundice and Prevention of Kernicterus', *Research Journal of Pharmacy and Technology*, p. 1087. doi: 10.5958/0974-360x.2015.00189.4.
- 15. Huang, I. and Pranata, R. (2020) 'Lymphopenia in severe coronavirus disease-2019 (COVID-19): systematic review and meta-analysis', *Journal of intensive care medicine*, 8, p. 36.
- 16. Iyer, P. K., Gayatri Devi, R. and Jothi Priya, A. (2019) 'A Survey Study on Causes, Treatment and Prevention of Onychocryptosis', *Indian Journal of Public Health Research & Development*, p. 807. doi: 10.5958/0976-5506.2019.01990.9.
- 17. Li, J. *et al.* (2020) 'The Mechanism and Clinical Outcome of patients with Corona Virus Disease 2019 Whose Nucleic Acid Test has changed from negative to positive, and the therapeutic efficacy of Favipiravir: A structured summary of a study protocol for a randomised controlled trial', *Trials*, 21(1), p. 488.
- 18. Liu, M. *et al.* (2020) 'Efficacy and Safety of Integrated Traditional Chinese and Western Medicine for Corona Virus Disease 2019 (COVID-19): a systematic review and meta-analysis', *Pharmacological research: the official journal of the Italian Pharmacological Society*, 158, p. 104896.
- 19. Mao, L. *et al.* (no date) 'Neurological Manifestations of Hospitalized Patients with COVID-19 in Wuhan, China: a retrospective case series study'. doi: 10.1101/2020.02.22.20026500.
- 20. Mehta, P. *et al.* (2020) 'COVID-19: consider cytokine storm syndromes and immunosuppression', *The Lancet*, pp. 1033–1034. doi: 10.1016/s0140-6736(20)30628-0.



- 21. Mizumoto, K. *et al.* (2020) 'Estimating the asymptomatic proportion of coronavirus disease 2019 (COVID-19) cases on board the Diamond Princess cruise ship, Yokohama, Japan, 2020', *Euro surveillance: bulletin Europeen sur les maladies transmissibles = European communicable disease bulletin*, 25(10). doi: 10.2807/1560-7917.ES.2020.25.10.2000180.
- 22. Onder, G., Rezza, G. and Brusaferro, S. (2020) 'Case-Fatality Rate and Characteristics of Patients Dying in Relation to COVID-19 in Italy', *JAMA: the journal of the American Medical Association*. doi: 10.1001/jama.2020.4683.
- 24. Renuka, S. and Sethu, G. (2015) 'Regeneration after Myocardial Infarction', *Research Journal of Pharmacy and Technology*, p. 738. doi: 10.5958/0974-360x.2015.00117.1.
- 25. R, G. D. and Sethu, G. (2018) 'Evaluation Of Adenoids By Oronasal And Nasal Spirometry', *Asian Journal of Pharmaceutical and Clinical Research*, p. 272. doi: 10.22159/ajpcr.2018.v11i10.27365.
- 26. Richman, D. D., Whitley, R. J. and Hayden, F. J. (2016) 'Clinical Virology'. doi: 10.1128/9781555819439.
- 27. Rj, I. and R, G. D. (2016) 'Role of environmental factors on sleep patterns of different age groups', *Asian Journal of Pharmaceutical and Clinical Research*, p. 124. doi: 10.22159/ajpcr.2016.v9i6.13832.
- 28. Rothan, H. A. and Byrareddy, S. N. (2020) 'The epidemiology and pathogenesis of coronavirus disease (COVID-19) outbreak', *Journal of Autoimmunity*, p. 102433. doi: 10.1016/j.jaut.2020.102433.
- 29. Samuel, A. R. and Devi, M. G. (2015) 'Geographical distribution and occurrence of Endemic Goitre', *Research Journal of Pharmacy and Technology*, p. 973. doi: 10.5958/0974-360x.2015.00162.6.
- 30. Saxena, S. K. (2020) Coronavirus Disease 2019 (COVID-19): Epidemiology, Pathogenesis, Diagnosis, and Therapeutics. Springer Nature.
- 31. Shruthi, M. and Preetha, S. (2018) 'Effect of Simple Tongue Exercises in Habitual Snorers', *Research Journal of Pharmacy and Technology*, p. 3614. doi: 10.5958/0974-360x.2018.00665.0.
- 32. Spinelli, A. and Pellino, G. (2020) 'COVID-19 pandemic: perspectives on an unfolding crisis', *British Journal of Surgery*, pp. 785–787. doi: 10.1002/bjs.11627.
- 33. Swathy, S. and Gowri Sethu, V. (2015) 'Acupuncture and lower back pain', *Research Journal of Pharmacy and Technology*, p. 991. doi: 10.5958/0974-360x.2015.00165.1.
- 34. Timothy, C. N., Gayatri Devi, R. and Jothi Priya, A. (2019) 'Evaluation of Peak Expiratory Flow Rate (PEFR) in Pet Owners', *Indian Journal of Public Health Research & Development*, p. 803. doi: 10.5958/0976-5506.2019.01989.2.



- 35. Turner, A. J., Hiscox, J. A. and Hooper, N. M. (2004) 'ACE2: from vasopeptidase to SARS virus receptor', *Trends in Pharmacological Sciences*, pp. 291–294. doi: 10.1016/j.tips.2004.04.001.
- 36. Wang, W., Tang, J. and Wei, F. (2020) 'Updated understanding of the outbreak of 2019 novel coronavirus (2019-nCoV) in Wuhan, China', *Journal of medical virology*, 92(4), pp. 441–447.
- 37. Wang, Y. *et al.* (2020) 'Unique epidemiological and clinical features of the emerging 2019 novel coronavirus pneumonia (COVID-19) implicate special control measures', *Journal of Medical Virology*, pp. 568–576. doi: 10.1002/jmv.25748.
- 38. Wang, Y. (no date) 'Strain effects on semiconducting two-dimensional crystals'. doi: 10.32657/10356/65945.
- 39. Wu, Y. *et al.* (2020) 'Nervous system involvement after infection with COVID-19 and other coronaviruses', *Brain, behavior, and immunity.* doi: 10.1016/j.bbi.2020.03.031.
- 40. Xie, J. *et al.* (2020) 'Critical care crisis and some recommendations during the COVID-19 epidemic in China', *Intensive care medicine*, 46(5), pp. 837–840.
- 41. Yin, X. *et al.* (no date) 'The Impact of the Corona Virus Disease 2019 Outbreak on Chinese Residents' Mental Health'. doi: 10.2471/blt.20.258475.
- 42. Zandifar, A. and Badrfam, R. (2020) 'Iranian mental health during the COVID-19 epidemic', *Asian journal of psychiatry*, 51, p. 101990.
- 43. Zhong, B.-L. *et al.* (2020) 'Knowledge, attitudes, and practices towards COVID-19 among Chinese residents during the rapid rise period of the COVID-19 outbreak: a quick online cross-sectional survey', *International journal of biological sciences*, 16(10), pp. 1745–1752.